LAT Science Requirements Verification Tests

Eduardo do Couto e Silva, Gary Godfrey, Bob Hartman, Tune Kamae, Bernard Phlips, Steve Ritz, Hartmut Sadrozinski March 30, 2001

Grey: requirement as is from LAT performance specs

Yellow: changes in the parameter

Red: move or remove or add knowledge or add parameters

Green: not discussed yet

Requirement: 5.2.1 Energy range/Effective area

Parameter: > 300cm2 @ 20 MeV, > 3000 cm2 @ 100 MeV, >6400 cm2 @ 300 GeV

Verification Plan: T and A

Measurements in a tagged beam of photons from 20 MeV up to 15 GeV and extrapolation of results to 300 GeV. Separate analysis for Front and Back section of tracker

Time: 2004 (TBR)

Facilities: SLAC. Many options are being discussed, coherent bremstrahlung beam, backscattered laser beam, Van der Graff generator, incoherent bremstrahlung beam

Requirement: 5.2.2 Energy Resolution

Parameter: <50% @ <100 MeV , <10% @ 100 MeV - 10 GeV, <20% @ 10 GeV- 300

GeV

Verification Plan: T and A

Not yet defined. We may add more parameters and we are now revisiting the needed knowledge on the energy resolution, its normalization and absolute scale.

Time: 2002 and 2004 (TBR)

Facilities: SLAC and/or CERN. We are investigating a test of Engineering Model at

CERN for 200-300 GeV energies.

Requirement: 5.2.3 Peak Effective area

Parameter: > 8000 cm2 Verification Plan: T and A

Measurements in a tagged beam of photons up to 15 GeV. Separate analysis for

Front and Back section of tracker

Time: 2004 (TBR)

Facilities: SLAC. Many options are being discussed, coherent bremstrahlung beam, backscattered laser beam, Van der Graff generator, incoherent bremstrahlung beam

Requirement: 5.2.4 Effective area knowledge

Parameter: > 100 MeV changed from 20% to 10%, <100 MeV changed from 50%

to 10% (TBR)

Verification Plan: T and A

Measurements in a tagged beam of photons from 20 MeV up to 15 GeV and extrapolation of results to 300 GeV. Spearate analysis fro Front and Back section of tracker

Time: 2004 (TBR)

Facilities: SLAC. Many options are being discussed, coherent bremstrahlung beam, backscattered laser beam, Van der Graff generator, incoherent bremstrahlung beam

Requirement: 5.2.4 Point Spread Function 68% (on axis)

Parameter: < 3.5 deg (front), < 6 deg (back) @ < 0.15 deg (front), < 0.3

(back)(TBR) @ 10 GeV - 300 GeV

Verification Plan: T and A

Measurements in a tagged beam of photons from 20 MeV up to 15 GeV and extrapolation of results to 300 GeV. Separate analysis for Front and Back section of tracker.

Time: 2004 (TBR)

Facilities: SLAC. Many options are being discussed, coherent bremstrahlung beam, backscattered laser beam, Van der Graff generator, incoherent bremstrahlung beam

Requirement: 5.2.4.1 Knowledge on the Point Spread Function

Parameter: 10% Verification Plan: T and A

Measurements in a tagged beam of photons from 20 MeV up to 15 GeV and extrapolation of results to 300 GeV. Separate analysis for Front and Back section of tracker. Setting up a study group to evaluate validation of simulation

Time: 2004 (TBR)

Facilities: SLAC. Many options are being discussed, coherent bremstrahlung beam, backscattered laser beam, Van der Graff generator, incoherent bremstrahlung beam

Requirement: 5.2.5 Point Spread Function 95% (on axis)

Parameter: < 3x PSF68%

Verification Plan: T and A

Measurements in a tagged beam of photons from 20 MeV up to 15 GeV and extrapolation of results to 300 GeV. Separate analysis for Front and Back section of tracker. Setting up a study group to evaluate validation of simulation

Time: 2004 (TBR)

Facilities: SLAC. Many options are being discussed, coherent bremstrahlung beam, backscattered laser beam, Van der Graff generator, incoherent bremstrahlung beam

Requirement: 5.2.7 Point Spread Function (off axis)

Parameter: < 1.7 x PSF (on–axis) @ 55 degrees

Verification Plan: T and A

Measurements in a tagged beam of photons from 20 MeV up to 15 GeV and extrapolation of results to 300 GeV. Separate analysis for Front and Back section of tracker.

Time: 2004 (TBR)

Facilities: SLAC. Many options are being discussed, coherent bremstrahlung beam, backscattered laser beam, Van der Graff generator, incoherent bremstrahlung beam

Requirement: 5.2.8 Field of View

Parameter: > 2sr

Requirement: 5.2.9 Source Location Determination

Parameter: < 1 arcmin for 1 x 10E-7 photons cm-2 s-1

Requirement: 5.2.10 Point Source Sensitivity

Parameter: < 4 x 10E-9 photons cm-2 s-1

Requirement: 5.2.11 Time accuracy

Parameter: better than 10 microseconds

Requirement: 5.2.12 Background Rejection

Parameter: > 100000:1 (TBR)

Requirement: 5.2.13 Deadtime

Parameter: <100 microseconds (TBR) per event

Requirement: 5.2.14 GRB location accuracy on-board

Parameter: < 10 arcmin (TBR), 68% confidence radius

Requirement: 5.2.15 GRB notification time to spacecraft

Parameter: < 3 seconds (TBR)

Requirement: 5.2.16 AGN location accuracy on-board

Parameter: < 2 degrees (GOAL no requirement)

Requirement: 5.2.17 AGN notification time to spacecraft

Parameter: < 1 minute after recognition (GOAL no requirement)